

# Maricopa County Department of Public Health WEEKLY INFLUENZA UPDATE 2017-2018 Season (10/01/2017-09/29/2018)

September 14, 2018

2017-2018 Week 37 & 38 (09/09/2018 - 09/22/2018)

The Influenza Season is defined by MMWR surveillance weeks, beginning week 40 (October) and continues through week 39 (the following September).

### Influenza Surveillance Indicators

<u>Lab Confirmed Cases</u> <u>Hospital Emergency</u> <u>Visits</u>

<u>Outpatient Clinics</u> School Absenteeism

Flu Near You


One previously reported pediatric death has been retracted due to a laboratory result that was later determined to be a false positive from an out of state clinical laboratory



www.FluNearYou.org

The first official day of the 2017-2018 Influenza Season was October 1, 2017 and the surveillance season will continue through September 29, 2018. Maricopa County identified its first locally-acquired influenza case of the 2017 - 18 season in week 41.

- Since October 1, 2017, 19,576 cases have been laboratory-confirmed.
- All ILI (Influenza like Illness) indicators remained low this week.
- Maricopa County reported 3 Pediatric Influenza Deaths this season, PCR positive for A/H3 & B/Victoria.




Influenza Activity	2017-2018	2016-2017	2015-2016	2014-2015
IIIII deliza Activity	2017-2018	2010-2017	2013-2010	2014-2013
First Confirmed	10/16/2017	10/3/2016	10/4/2015	10/3/2014
Case (no travel)				
Weeks				
w/Widespread	Weeks 50 - 10	Week 6 - 9	Week 5 - 14	Week 1 - 6
Activity (AZ)				
Weeks w/Hospital	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Week 49, 52 & 1-23	Week 51 - 16	Week 50 - 11
ILI above Regional	Weeks 41, 43, 45 - 15, 17-18			
Threshold	43 13,17 10			
Weeks		Weeks 47, 48, 50- 52, 1-3, 5-10, 14 & 17-21	Weeks 45-52, 1-21, 23, 35 & 36	Weeks 48, 50-52, 1- 10 & 12-14
w/Outpatient	Weeks 47 - 15, 17-			
visits above	18 & 22			
Threshold				
Peak Week	Week 1	Week 6	Week 8	Week 3
	(12/31-1/6/2018)	(2/5-2-11/2016)	(2/21-2/27/2016)	(1/18-1/24/2015)
Pediatric Deaths	3	1	3	1
Total Cases	19,576	6,633	14,353	6,601

### Individuals with Laboratory Confirmed Influenza

Table 1. Laboratory-Confirmed Influenza Cases	Cumulative	Current
Compared to Last Week and Last Season, Maricopa	Season	Week
County	Total	Total
2017-2018 Season	19576	4
2016-2017 Season	6628	5
5 Season Average (2012-2017)	7908	1
% increase compared to 2016-2017 Season	195%	-20%
% increase compared to 5 season average	148%	186%
% increase compared to last week	100%	-33%

Trends of influenza laboratory test results compared to the previous 3 seasons. The current season is in **red**.




### Types of Influenza in Maricopa County


Table 2. Influenza 2017-18 Season					
Types/Subtypes		Percentage			
Type A	14811	76%			
Subtype 2009 H1N1	141	1%			
Subtype H3	1820	12%			
Subtyping not performed or unknown	12850	87%			
Type B	4587	23%			
Unknown	178	1%			
Total	19576	100%			

### Confirmed Influenza Percentages by Age Group


This Influenza Season has proven to effect ages 65 and older and ages 19 to 49.



### Confirmed influenza cases by Age-Group and Type




### Confirmed influenza cases by Age-Group and Gender




#### Influenza Like Illness Activity at Hospital Emergency Departments

This influenza season there have been **15,253** visits to emergency departments by individuals with flu-like symptoms. To be counted as an individual with flu-like symptoms, the patient must have both fever <u>and</u> cough/sore throat.

These show the number of patients with flu-like symptoms seen at 12 emergency departments.




This compares what percent of all emergency department visits were individuals with flu-like symptoms (fever and cough/sore throat). The graph shows the trend week by week, with the current season in red.



# Influenza-Like Illness Activity at Sentinel Site Outpatient Facilities Reported to the Centers for Disease Control and Prevention (CDC)


Maricopa County sentinel sites (outpatient facilities) report visits due to flu-like symptoms. This week outpatient facilities saw a **change of -0.85%** to **2.88%** of visits at outpatient facilities due to flu-like symptoms, last week outpatient facilities reported **3.73%**.





### **Absentee Activity at Schools**

Absenteeism trends compared to the last three school years show the percent of students reported absent and illustrates the week by week trend, the current school year in in red. (School Surveillance will begins Week 40 thru Week 20).




NEURAMINIDASE

### 2017 – 2018 Influenza Season | Data Source: Flu Near You Week 36

do you have it in you? The following report summarizes data captured from volunteer reports to the Flu Near You participatory surveillance platform between CDC Weeks 40 and 36 (October 2017 to September 2018). Data for weeks 37 and 38 is not yet available for inclusion in this report. This report is intended to update Maricopa County public health professionals and other partners on system performance and results during the 2017-18 influenza season. Results are NOT final and may be subject to change pending further analyses.

### Count of participants and rate of ILI cases per MMWR week in Maricopa County Flu Season: 2017-2018





#### Why register for Flu Near You?

Registered users have access to many features, such as:

- The ability to report their symptoms
- A map that displays where users can find vaccines in their area
- A map of flu activity in their area and across the nation
- Updated news on the current flu season, flu shots, treatment, recovery time, and more

# Everyone is invited to participate in Flu Near You by enrolling at <a href="https://flunearyou.org">https://flunearyou.org</a>

### The Maricopa County Department of Public Health wishes to thank all of the Influenza surveillance participants:

Arizona Department of Health Services

Local Hospital Emergency Departments & Infection Control Practitioners

Local Outpatient Facilities and Medical Directors

Maricopa County Public Schools

Maricopa County Office of Vital Statistics

Questions about this report may be directed to:

epidemiology@mail.maricopa.gov

Information on influenza activity for the state, the U.S. and the world may be found at the following websites:

http://www.azdhs.gov/phs/oids/epi/flu/index.htm (ADHS)
https://www.cdc.gov/flu/weekly/fluactivitysurv.htm (CDC)
http://www.who.int/influenza/gisrs laboratory/updates/en/index.html (WHO)